

Notice of Allowability

Application No.

10/039,976

Examiner

Hoa V. Le

Applicant(s)

ZHOU ET AL.

Art Unit

1752

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☐ This communication is responsive to _____.
2. ☒ The allowed claim(s) is/are 1-16.
3. ☒ The drawings filed on 08 January 2002 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

Hoa V. Le
Primary Examiner
Art Unit: 1752

This application is before the examiner for consideration on the merits.

I. The following is an examiner's statement of reasons for allowance:

(1) Schmidt (1,107,363) drain has different and distinct design and purpose than that as claimed. Schmidt drain has an all around radial opening between a cap on a stem and a large annular portion of a long pipe having been thread at the outer and end portion in the opposite side of the large annular portion for mainly water and the like liquid or fluid to follow in the pipe from a washbasin, bathtub and sink. The claimed drain uses to release any by-product water from an electrochemical power and has a different design with respect to a pair of openings to release water as disclosed in the instant application.

(2) Downey et al (3,220,695), Wang (6,195,819), and Chen (6,219,861) have about the same teachings and suggestions as those in Schmidt.

(3) At the level of one skill in the art, it has a reason to believe that all of the about patentees drains and designs can be used to drain the by-product water in an electrochemical power since there is no unusual or unexpected result being disclosed or found in the instant application over those of the above conventional and known drains and designs. However, the claimed drain is allowable for the specific design together with its specific use as disclosed in the instant application.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

Art Unit: 1752

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

II. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hoa V. Le whose telephone number is 571-272-1332.

The examiner can normally be reached from 6:00 AM to 4:00 PM on Monday through Thursday and about the same time of most Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mark F. Huff can be reached on 571-272-1385. The fax phone numbers of the examiner is 571- 273-1332. Since there is a newly electronic filing procedure for all initial communicating papers and all responses to an Office action, the examiner fax phone number is not for use to receive any fax in response to an Office action. Applicant is requested and required to send all initial communicating papers and all response to Office action to a central paper or fax receiving center for an electronic scanning procedure.

Applicants may file a paper by (1) fax with a central facsimile receiving number 703-872-9306,

(2) mail with a central mail receiving address:

U.S. Patent and Trademark Office

2011 South Clark Place

Customer Window

Crystal Plaza Two, Lobby, Room 1B03

Arlington, VA 22202

Art Unit: 1752

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Hoa V. Le
Primary Examiner
Art Unit 1752

HVL
18 February 2004

HOA VAN LE
PRIMARY EXAMINER
